

LABORATORY REPORT

9/26/2016

Shannon Maguadog
Compounding Corner - 10452
1730 Williams Trace Boulevard Suite K
Sugar Land, TX 77478-4055
Tel: (281) 494-7777
Fax: compoundingcornerpharmacy@ya

Client #: E10452
Sample: **Demecarium Bromide 0.125% Ophthalmic**
0.125%
Lot #: 10152013@31
Sample ID #: 301200
Date Rec'd: 10/17/2013

LABORATORY TEST RESULTS

Microbiological Tests:

Bacterial Endotoxin USP <85>
Eagle Sterility Test
Rapid ScanRDI Microbial Detection

<u>Date</u>	<u>Measured</u>	<u>Result</u>
-------------	-----------------	---------------

--

--

--

Chemical Tests:

Demecarium Bromide

<u>Date</u>	<u>Reported</u>	<u>Measured</u>	<u>Potency</u>
10/21/2013	0.125 %	0.133 %	106 %_

RUSH Analysis Service Requested

Notes:

Potency is determined via USP <621> HPLC, USP<851> Spectrophotometry, and specific monograph testing procedures.

Respectfully submitted,
EAGLE ANALYTICAL SERVICES LTD.



William J. Zolner, Ph.D., Chief Scientific Officer

